L Number	Hits	Search Text	DB	Time stamp
-	1	4325251.pn.	USPAT	2004/07/14 10:33
_	0	werner-m.in.	USPAT;	2004/07/12 13:57
			US-PGPUB;	
			EPO; JPO	
_	56638	werner.in.	USPAT;	2004/07/12 13:57
			US-PGPUB;	
			EPO; JPO	
_	1	werner.in. and output adj characteristic	USPAT;	2004/07/12 13:58
	_	adj test	US-PGPUB;	
			EPO; JPO	
_	102	werner.in. and (controller and simulat\$3)	USPAT;	2004/07/12 13:58
	102	,	US-PGPUB;	
			EPO; JPO	
_	37	(werner.in. and (controller and	USPAT;	2004/07/12 14:44
	}	simulat\$3)) and motor	US-PGPUB;	
1		0222.04.07,7 00 10002	EPO; JPO	
_	3	(5594173 6301532 6300896).pn.	USPAT;	2004/07/12 15:30
		(33311/3/0301032/030030/1/2	US-PGPUB;	
			EPO; JPO	l i
_	1400	703/2-4.ccls.	USPAT;	2004/07/12 15:30
	1,100	1.00,2 1.00201	US-PGPUB;	=======
			EPO; JPO	
_	23	703/2-4.ccls. and (sensor and actuator)	USPAT;	2004/07/12 15:31
		100,2 1.0010. and (benoof and accuator)	US-PGPUB;	
			EPO; JPO	
_	16	(703/2-4.ccls. and (sensor and actuator))	USPAT;	2004/07/12 15:31
-	10	and simulat\$3	US-PGPUB;	2001/01/12 13:31
	Į.	and simulacys	EPO; JPO	
_	222	703/7.ccls.	USPAT;	2004/07/12 15:44
_	222	70377.0013.	US-PGPUB;	2004/07/12 13:44
			EPO; JPO	
_	17	703/7.ccls. and (sensor and actuator)	USPAT;	2004/07/12 15:44
	1,	103/1.ccis. and (sensor and accuacor)	US-PGPUB;	2004/07/12 13:44
			EPO; JPO	1
_	16	(703/7.ccls. and (sensor and actuator))	USPAT;	2004/07/12 15:53
-	10	and simulat\$3	US-PGPUB;	2004/07/12 13.33
		and Simulacys	EPO; JPO	
_	169	703/16.ccls.	USPAT;	2004/07/12 15:53
	103	703710.0013.	US-PGPUB;	2001,01,12 13.33
			EPO; JPO	•
	1	703/16.ccls. and (sensor and actuator)	USPAT;	2004/07/12 15:58
	_	1 103/10:cc13: and (sensor and accuacor)	US-PGPUB;	2001,01,12 10.00
			EPO; JPO	
	26	324/383.ccls.	USPAT;	2004/07/12 16:02
	ا د	02.7000.0020.	US-PGPUB;	
			EPO; JPO	
_	1	324/383.ccls. and (sensor and actuator)	USPAT;	2004/07/12 15:59
	1	de la compara de	US-PGPUB;	, 3., 22 23.33
			EPO; JPO	
_	184	324/402.ccls.	USPAT;	2004/07/12 16:01
	. 104		US-PGPUB;	
			EPO; JPO	
-	1	324/402.ccls. and (sensor and actuator and	USPAT;	2004/07/12 16:01
	•	model)	US-PGPUB;	
1			EPO; JPO	
1 -	549	324/509.ccls.	USPAT;	2004/07/12 16:02
]		,	US-PGPUB;	
			EPO; JPO	
-	О	324/509.ccls. and (sensor and actuator and	USPAT;	2004/07/12 16:02
	l	model)	US-PGPUB;	
		·	EPO; JPO	
_	888	324/522.ccls.	USPAT;	2004/07/12 16:04
			US-PGPUB;	
			EPO; JPO	
-	0	324/522.ccls. and (sensor and actuator and	USPAT;	2004/07/12 16:03
	1	model)	US-PGPUB;	
		·	EPO; JPO	
-	3	324/522.ccls. and (sensor and actuator)	USPAT;	2004/07/12 16:03
	_	, , , , , , , , , , , , , , , , , , , ,	US-PGPUB;	1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
			EPO; JPO	
	\ 		· · · · · · · · · · · · · · · · · ·	<u> </u>

[-	330	324/525.ccls.	USPAT;	2004/07/12 16:05
			US-PGPUB;	
	ł		EPO; JPO	
1_	l o	324/525.ccls. and (sensor and actuator and	USPAT;	2004/07/12 16:05
i	•	model)	US-PGPUB;	·
1	1	modely	EPO; JPO	
	56	324/602.ccls.	USPAT;	2004/07/12 16:05
ļ -	30	5247 602.CC13.	US-PGPUB;	2004/01/12 10:05
1				
i		2044600 1 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	EPO; JPO	2004/07/12 16:00
-	1	,		2004/07/12 16:09
!		model)	US-PGPUB;	
1			EPO; JPO	
-	876	73/119A.ccls.	USPAT;	2004/07/12 16:12
			US-PGPUB;	
			EPO; JPO	
! -	6	73/119A.ccls. and (sensor and actuator and	USPAT;	2004/07/12 16:10
İ		model)	US-PGPUB;	
			EPO; JPO	
-	230	73/117.2.ccls.	USPAT;	2004/07/12 16:16
			US-PGPUB;	
		·	EPO, JPO	
_	11	73/117.2.ccls. and (sensor and actuator	USPAT;	2004/07/12 16:12
	**	and model)	US-PGPUB;	
]	did model)	EPO; JPO	
	2140	73/116 0010	USPAT;	2004/07/12 16:16
1-	2149	73/116.ccls.	US-PGPUB;	2004/07/12 10:16
1	1			
1		22/1161 /	EPO; JPO	2004/07/12 16:16
-	23	73/116.ccls. and (sensor and actuator and	USPAT;	2004/0//12 16:16
		model)	US-PGPUB;	
			EPO; JPO	
 -	11	(73/116.ccls. and (sensor and actuator and	USPAT;	2004/07/12 16:25
		model)) and simulat\$3	US-PGPUB;	
ı			EPO; JPO	
-	471	702/57.ccls.	USPAT;	2004/07/12 16:26
			US-PGPUB;	
			EPO; JPO	
-	0	702/57.ccls. and (sensor and actuator and	USPAT;	2004/07/12 16:25
	į	model)	US-PGPUB;	
		·	EPO; JPO	
-	121	702/113.ccls.	USPAT;	2004/07/12 16:27
			US-PGPUB;	l i
ŀ		· ·	EPO; JPO	
_] 3	702/113.ccls. and (sensor and actuator and	USPAT;	2004/07/12 16:26
		model)	US-PGPUB;	
	i	, ···	EPO; JPO	
_	102	702/116.ccls.	USPAT;	2004/07/12 16:27
	102		US-PGPUB;	
		1	EPO; JPO	
I _	0	702/116.ccls. and (sensor and actuator and	USPAT;	2004/07/12 16:27
-		i ·	US-PGPUB;	2004/07/12 16:27
	1	model)		
		240/056 2 0010	EPO; JPO	2004/03/12 16:00
_		340/856.3.ccls.	USPAT	2004/07/12 16:29
-	1	340/856.3.ccls. and (sensor and actuator	USPAT	2004/07/12 16:28
		and model)		0004407455555
-	1	340/933.ccls.	USPAT	2004/07/12 16:32
-	1	340/933.ccls. and (sensor and actuator and	USPAT	2004/07/12 16:29
	(model)		
-	1	340/514.ccls.	USPAT	2004/07/12 16:31
1 ~	3	340/514.ccls. and (sensor and actuator and	USPAT	2004/07/12 16:31
		model)		
-	26	340/693.8.ccls.	USPAT	2004/07/12 16:32
-	0	340/693.8.ccls. and (sensor and actuator	USPAT	2004/07/12 16:32
		and model)		
_	2528	sensor and actuator and model and	USPAT;	2004/07/12-16:33
		simulat\$3	US-PGPUB;	
			EPO; JPO	
-	795	(sensor and actuator and model and	USPAT;	2004/07/12 16:34
		simulat\$3) and amplifier	US-PGPUB;	
			EPO; JPO	
1 -	255	((sensor and actuator and model and	USPAT;	2004/07/12 16:34
		simulat\$3) and amplifier) and (short and	US-PGPUB;	=====================================
	l	interrupt\$3)	EPO; JPO	
		,	TEO' OEO	L

Search History 7/15/04 11:11:10 AM Page 2

			•		
-	255	(((() () () () () () () () (USPAT;	2004/07/12 16:35	
		simulat\$3) and amplifier) and (short and	US-PGPUB;		
_	230	interrupt\$3)) and signal ((((sensor and actuator and model and	EPO; JPO USPAT;	2004/07/12 16:35	÷
	250	simulat\$3) and amplifier) and (short and	US-PGPUB;	2001/07/12 10.33	
		interrupt\$3)) and signal) and interface	EPO; JPO		
-	83	((((sensor and actuator and model and	USPAT;	2004/07/12 16:37	
	İ	simulat\$3) and amplifier) and (short and	US-PGPUB;		
		interrupt\$3)) and signal) and interface) and (pcb or printed adj circuit adj board)	EPO; JPO		
1_	72		USPAT;	2004/07/12 16:37	
	-	simulat\$3) and amplifier) and (short and	US-PGPUB;	2001, 01, 12 2010	
]	interrupt\$3)) and signal) and interface)	EPO; JPO		
ŀ	ļ	and (pcb or printed adj circuit adj			
_	609	board)) and (real near time) kanegae.in.	USPAT;	2004/07/13 10:29	
-	609	kanegae.in.	US-PGPUB;	2004/07/13 10:29	
			EPO; JPO		
-	15	(4839811 4943924 4502446 4491112 4456831 43		120048673133866381	436861€
			US-PGPUB;		
		/CO554C015044472\ mm	EPO; JPO	0004/07/17 10 20	
-	0	(6055468 5844473).pn. and 08387034.ap.	USPAT; US-PGPUB;	2004/07/13 10:39	
			EPO; JPO		
-	0	(6055468 5844473).pn. and 387034.ap.	USPAT;	2004/07/13 10:39	
			US-PGPUB;		
	,	/COE54C015044473\ mm	EPO; JPO	2004/07/12 12:21	
-	2	(6055468 5844473).pn.	USPAT; US-PGPUB;	2004/07/13 12:31	
			EPO; JPO		
-	85	electronic adj component adj testing	USPAT;	2004/07/13 12:31	
		·	US-PGPUB;		
	,	(-1	EPO; JPO	0004/07/13 10 33	
-	2	<pre>(electronic adj component adj testing) and (sensor and actuator)</pre>	USPAT; US-PGPUB;	2004/07/13 12:33	
		(Sensor and accuator)	EPO; JPO		
_	44371	(control adj system) and test	USPAT;	2004/07/13 12:33	
			US-PGPUB;		
_	5006	((control adj system) and test) and	EPO; JPO USPAT;	2004/07/13 12:34	
	3000	(sensor and actuator)	US-PGPUB;	2004/01/13 12.54	
		,	EPO; JPO	•	
-	804		USPAT;	2004/07/13 12:34	
		(sensor and actuator)) and model and	US-PGPUB;		
-	564	simulat\$3 ((((control adj system) and test) and	EPO; JPO USPAT;	2004/07/13 12:36	
	""	(sensor and actuator)) and model and	US-PGPUB;		
		simulat\$3) and interface	EPO; JPO		
-	555	(((((control adj system) and test) and	USPAT;	2004/07/13 12:36	
	1	<pre>(sensor and actuator)) and model and simulat\$3) and interface) and signal</pre>	US-PGPUB; EPO; JPO		
-	415	(((((control adj system) and test) and	USPAT;	2004/07/13 12:36	
1		(sensor and actuator)) and model and	US-PGPUB;		
		simulat\$3) and interface) and signal) and	EPO; JPO		
1_	158	feedback ((((((control adj system) and test) and	1100Am.	2004/07/12 12 22	
_	130	(sensor and actuator)) and model and	USPAT; US-PGPUB;	2004/07/13 12:36	
		simulat\$3) and interface) and signal) and	EPO; JPO		
1]	feedback) and interrupt		}	
-	120	(((((((control adj system) and test) and	USPAT;	2004/07/13 12:37	
	[(sensor and actuator)) and model and simulat\$3) and interface) and signal) and	US-PGPUB; EPO; JPO		
		feedback) and interrupt) and fault	LEO, SEO		•
-	112	((((((((control adj system) and test) and	USPAT;	2004/07/13 16:47	
		(sensor and actuator)) and model and	US-PGPUB;].	
		simulat\$3) and interface) and signal) and feedback) and interrupt) and fault) and	EPO; JPO		
		short	ļ]	
! -	0	hardware adj in adj the adj loop	USPAT;	2004/07/13 16:48	
1			US-PGPUB;		
			EPO; JPO	į	

-	0	hardware near in near the near loop	USPAT; US-PGPUB;	2004/07/13 16:48
-	2007	hil	EPO; JPO USPAT; US-PGPUB;	2004/07/13 16:48
-	176	hil and simulat\$3	EPO; JPO USPAT; US-PGPUB;	2004/07/13 16:48
-	7	(hil and simulat\$3) and (actuator and sensor)	EPO; JPO USPAT; US-PGPUB; EPO; JPO	2004/07/13 16:49